

Available Standard Products List

MODEL	OUTPUT RAIL	LOAD		INPUT	EMI	SIZE(WxLxH)
		RATED	PEAK			
20W Class II • Adapter • Green Power • ITE Safety						
SNP-A02C	9V	1.8A	2.5A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
20W Class I • Adapter • Green Power • ITE Safety						
SNP-A026 -3	5V	2A	3A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
SNP-A02C-3	9V	1.8A	2.5A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
SNP-A027 -3	12V	1.3A	2A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
SNP-A028 -3	15V	1A	1.6A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
SNP-A02T-3	48V	0.35A	0.5A	90 ~ 264VAC	CISPR22 B	52 x 96 x 32.5 (mm)
30W Class II • Adapter • Green Power • ITE Safety						
SNP-A037	12V	2.5A	4A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
30W Class I • Adapter • Green Power • ITE Safety						
SNP-A03C-3	9V	3.3A	4.6A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
SNP-A037 -3	12V	2.5A	4A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
SNP-A038 -3	15V	2A	3A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
SNP-A039 -3	24V	1.3A	1.8A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
SNP-A03T-3	48V	0.75A	1A	90 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
30W Class II • Adapter • Green Power • Medical Safety						
SNP-A039 -M	24V	1.3A	1.8A	85 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
30W Class I • Adapter • Green Power • Medical Safety						
SNP-A037 -M3	12V	2.5A	4A	85 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
SNP-A038 -M3	15V	2A	3A	85 ~ 264VAC	CISPR22 B	54 x 110 x 33.5 (mm)
30W Metal Box • Cost Effective • ITE Safety						
SNP-C036	5V	6A	9A	85 ~ 264VAC	EN55022 B, EN55011 B	2" x 3.54" x 1.14"
SNP-C037	12V	2.5A	3.75A	85 ~ 264VAC	EN55022 B, EN55011 B	2" x 3.54" x 1.14"
SNP-C039	24V	1.3A	1.9A	85 ~ 264VAC	EN55022 B, EN55011 B	2" x 3.54" x 1.14"
30W Class I/II • Open Frame • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety						
SNP-HF37	12V	2.5A	3.75A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
SNP-HF38	15V	2A	3A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
SNP-HF39	24V	1.25A	1.88A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
SNP-HF3T	48V	0.63A	0.94A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
30W Class I/II • Open Frame • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety						
SNP-HF37-A	12V	2.5A	3.75A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
SNP-HF38-A	15V	2A	3A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
SNP-HF39-A	24V	1.25A	1.88A	90 ~ 260VAC	EN55022 B, EN55011 B	1.57" x 2.76" x 0.93"
40W Class II • Adapter • ITE Safety						
SNP-A047	12V	3.7A	5.6A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
40W Class I • Adapter • ITE Safety						
SNP-A046 -3	5V	6A	9A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-A04C-3	9V	4.5A	6.7A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-A047 -3	12V	3.7A	5.6A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-A048 -3	15V	3A	4.5A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-A049 -3	24V	1.9A	2.9A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-A04T-3	48V	1A	1.5A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
40W Adapter • Level VI Eco-design • Green Power • ITE & 3.1 Ed. Medical Safety						
SNP-AF47	12V	3.7A	4.8A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
SNP-AF49	24V	1.9A	2.5A	90 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
40W Metal Box • ITE Safety							
SNP-B045 SNP-B047 SNP-B048	18V / 2.2A / 4.2A 12V / 3.3A / 6A 15V / 2.7A / 5A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B EN55022 B	3.35" x 3.94" x 1.38" 3.35" x 3.94" x 1.38" 3.35" x 3.94" x 1.38"
40W Metal Box • Cost Effective • ITE Safety							
SNP-C04B SNP-C046 SNP-C04T SNP-C043	3.3V/ 9A / 11A 5V / 7A / 10.5A 48V / 0.8A / 1.2A 5V / 4A / 8A	12V / 1.5A / 3A			85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	3.23" x 3.9" x 1.42" 3.23" x 3.9" x 1.42" 3.23" x 3.9" x 1.42" 3.23" x 3.9" x 1.42"
40W Class I/II • Open Frame • Slim Type • Green Power • ITE Safety							
SNP-G047 SNP-G049	12V / 3.33A / 4.7A 24V / 1.66A / 2.4A				90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	2" x 3" x 0.91" 2" x 3" x 0.91"
40W Class I/II • Open Frame • Slim Type • Green Power • Medical Safety							
SNP-G047 -M SNP-G048 -M SNP-G045 -M SNP-G049 -M SNP-G04J -M SNP-G04T -M	12V / 3.33A / 4.7A 15V / 2.66A / 3.8A 18V / 2.22A / 3.2A 24V / 1.66A / 2.4A 36V / 1.11A / 1.6A 48V / 0.83A / 1.16A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	2" x 3" x 0.91" 2" x 3" x 0.91" 2" x 3" x 0.91" 2" x 3" x 0.91" 2" x 3" x 0.91" 2" x 3" x 0.91"
40W Open Frame • Slim Type • 3 rd Ed. Medical Safety							
SNP-H047 -M SNP-H049 -M	12V / 3.33A / 4.7A 24V / 1.66A / 2.4A				90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 3" x 0.91" 2" x 3" x 0.91"
45W Class II • Adapter • Green Power • Medical Safety							
SNP-A047-M	12V / 3.5A / 5.6A				85 ~ 264VAC	CISPR22 B	58 x 120 x 42 (mm)
45W Class I • Adapter • Green Power • Medical Safety							
SNP-A047-M3 SNP-A049-M3	12V / 3.5A / 5.6A 24V / 1.9A / 2.9A				85 ~ 264VAC 85 ~ 264VAC	CISPR22 B CISPR22 B	58 x 120 x 42 (mm) 58 x 120 x 42 (mm)
45W Open Frame • Cost Effective • ITE & 2 nd & 3 rd Ed. Medical Safety							
SNP-Y041 SNP-Y043 SNP-Y046 SNP-Y047 SNP-Y047-1 SNP-Y048 SNP-Y048-1 SNP-Y049 SNP-Y049-1 SNP-Y04D	5V / 3A / 5A 5V / 3A / 5A 5V / 7A / 10A 12V / 3.3A / 5A 12V / 3.3A / 5A 15V / 2.6A / 4A 15V / 3A / 4A 24V / 1.7A / 2.5A 24V / 1.9A / 2.5A 3.3V/ 4A / 5A	12V / 2A / 4A 12V / 2.3A / 4A 5V / 0.5A 5V / 0.5A 5V / 0.5A 5V / 3A / 4A	-12V / 0.3A 12V / 0.3A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18"
55W Open Frame • Soft Switching • ITE & Medical Safety							
SNP-Z057 SNP-Z058 SNP-Z059 SNP-Z05T	12V / 4.6A / 5.4A 15V / 3.7A / 4.3A 24V / 2.3A / 2.7A 48V / 1.15A / 1.35A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	2" x 4" x 1.1" 2" x 4" x 1.1" 2" x 4" x 1.1" 2" x 4" x 1.1"
54~60W Open Frame • for Home Healthcare • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-S061 SNP-S061 -H SNP-S063 SNP-S063 -H	5V / 4A / 6.4A 5V / 4A / 6.4A 5V / 4.8A / 7.68A 5V / 4A / 6.4A	12V / 3A / 5A 12V / 3A / 5A 12V / 3.33A 12V / 3.33A	-12V / 0.3A -12V / 0.3A / 5.33A / 5.33A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011B, EN55032B EN55011B, EN55032B EN55011B, EN55032B EN55011B, EN55032B	2" x 4" x 1.406" 2" x 4" x 1.418" 2" x 4" x 1.406" 2" x 4" x 1.418"
60W Adapter • Eco-friendly Design • Green Power • ITE & 3.1 Ed. Medical Safety							
SNP-AF67 SNP-AF69	12V / 5A / 7.5A 24V / 2.5A / 3.75A				90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	65 x 135 x 40 (mm) 65 x 135 x 40 (mm)

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
60W Metal Box • Cost Effective • ITE Safety							
SNP-C067	12V / 5A / 7.5A	12V / 2A / 4A	-15V / 0.5A	-5V / 0.5A	85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
SNP-C068	15V / 4A / 6A				85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
SNP-C069	24V / 2.5A / 3.8A				85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
SNP-C063	5V / 6A / 10A				85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
SNP-C064	5V / 5A / 8A				85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
SNP-C06F	5V / 3A / 6A	12V / 0.9A / 3A	24V / 0.9A / 2A	-12V / 0.5A	85 ~ 264VAC	EN55022 B, EN55011 B	3.74" x 3.93" x 1.42"
60W Open Frame • ITE Safety							
SNP-CK69	24V / 2.5A				90 ~ 264VAC	EN55022 B, EN55011 B	2" x 4" x 1.24"
60W Open Frame • Slim Type • High Efficiency • High Density • Cost Effective • Green Power • ITE Safety							
SNP-GK67	12V / 5A / 6.5A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK68	15V / 4A / 5.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK65	18V / 3.33A / 4.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK69	24V / 2.5A / 3.5A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6G	28V / 2.14A / 3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6J	36V / 1.66A / 2.21A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6T	48V / 1.25A / 1.75A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6H	60V / 1A / 1.4A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 1.063"
60W Open Frame • Slim Type • High Efficiency • High Density • Cost Effective • Green Power • 3 rd Ed. Medical Safety							
SNP-GK67-M	12V / 5A / 6.5A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK68-M	15V / 4A / 5.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK65-M	18V / 3.33A / 4.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK69-M	24V / 2.5A / 3.5A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6G-M	28V / 2.14A / 3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6J-M	36V / 1.66A / 2.21A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6T-M	48V / 1.25A / 1.75A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6H-M	60V / 1A / 1.4A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 1.063"
60W Open Frame • Slim Type • High Efficiency • High Density • Cost Effective • Green Power • for Home Healthcare • 3 rd Ed. Medical Safety							
SNP-GK68-MH	15V / 4A / 5.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK65-MH	18V / 3.33A / 4.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK69-MH	24V / 2.5A / 3.5A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4" x 1.063"
SNP-GK6H-MH	60V / 1A / 1.4A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 1.063"
60W Open Frame • Slim Type • High Efficiency • High Density • Cost Effective • 3 rd Ed. Medical Safety							
SNP-H067-M	12V / 5A / 6.5A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
SNP-H068-M	15V / 4A / 5.6A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
SNP-H065-M	18V / 3.33A / 4.67A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
SNP-H069-M	24V / 2.5A / 3.5A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
SNP-H06G-M	28V / 2.14A / 3A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
SNP-H06J-M	36V / 1.66A / 2.21A				90 ~ 264VAC	EN55011 B, EN61000-3-3	2" x 4" x 0.97"
60W Class I/II • Open Frame • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-HF67	12V / 5A / 7.5A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF68	15V / 4A / 6A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF69	24V / 2.5A / 3.75A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF6T	48V / 1.25A / 1.88A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
60W Class I/II • Open Frame • without Audible Noise • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-HF67-A	12V / 5A / 7.5A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF68-A	15V / 4A / 6A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF69-A	24V / 2.5A / 3.75A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF6T-A	48V / 1.25A / 1.88A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
60W Class I/II • Open Frame • for Home Healthcare • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-HF67-H	12V / 5A / 7.5A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF68-H	15V / 4A / 6A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"
SNP-HF6T-H	48V / 1.25A / 1.88A				90 ~ 264VAC	EN55011B, EN61000-3-3	2" x 3.17" x 0.95"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
60W Open Frame • Cost Effective • ITE & Medical Safety							
SNP-Y061 SNP-Y066 SNP-Y067 SNP-Y067-1 SNP-Y069 SNP-Y06F	5V / 3A / 7A 5V / 10A / 15A 12V / 4.8A / 7.5A 12V / 5A / 7.5A 24V / 2.4A / 3.8A 5V / 3A / 7A	12V / 3A / 6A 5V / 0.5A / 1A 5V / 0.5A / 1A 24V / 1.5A / 3A	-12V / 0.3A 12V / 0.3A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18"
65W Open Frame • ITE & Medical Safety							
SNP-Z061 SNP-Z063 SNP-Z06A SNP-Z066-1 SNP-Z067-1 SNP-Z069-1	5V / 3A / 5A 5V / 3A / 6A 5V / 4A / 6A 5V / 12A / 18A 12V / 5A / 7.5A 24V / 2.7A / 3.7A	12V / 3A / 5A 12V / 3A / 5A 24V / 1.5A / 3A 	-12V / 0.3A 		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B	2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18"
75W Open Frame • Cost Effective • ITE & 2 nd Ed. Medical Safety							
SNP-Y071 SNP-Y073 SNP-Y076 SNP-Y077 SNP-Y079 SNP-Y07E	5V / 3.5A / 5A 5V / 3.5A / 5A 5V / 14A 12V / 5.6A / 9A 24V / 3A / 5A 3.3V / 6A / 10A	12V / 3.5A / 9A 12V / 4A / 9A 5V / 0.5A 5V / 0.5A 5V / 4A / 7A	-12V / 0.3A 12V / 2A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B	3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18"
75W Open Frame • ITE & Medical Safety							
SNP-Z071 SNP-Z073 SNP-Z076 SNP-Z077 SNP-Z078 SNP-Z079 SNP-Z07E	5V / 3.5A / 5A 5V / 3.5A / 5A 5V / 14A 12V / 5.6A / 9A 15V / 4.8A / 8A 24V / 3A / 5A 3.3V / 6A / 10A	12V / 3.5A / 9A 12V / 4A / 9A 5V / 0.5A 5V / 0.5A 5V / 0.5A 5V / 4A / 7A	-12V / 0.3A 12V / 2A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B EN55022 B. EN55011B	3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18" 3" x 5" x 1.18"
80W Class II • Adapter • Green Power • ITE & Medical Safety							
SNP-A085 SNP-A089	18V / 4.5A / 6.7A 24V / 3.3A / 5A				90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	72 x 145 x 42 (mm) 72 x 145 x 42 (mm)
80W Class I • Adapter • Green Power • ITE & Medical Safety							
SNP-A087-3 SNP-A085-3 SNP-A089-3 SNP-A08T-3	12V / 6A / 9A 18V / 4.5A / 6.7A 24V / 3.3A / 5A 48V / 1.75A / 2.5A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B CISPR22 B CISPR22 B	72 x 145 x 42 (mm) 72 x 145 x 42 (mm) 72 x 145 x 42 (mm) 72 x 145 x 42 (mm)
80W Class I • Adapter • Energy Saving • Green Power • ITE & 3.1 Ed. Medical Safety							
SNP-AF87 -3 SNP-AF89 -3	12V / 6A / 8.4A 24V / 3.2A / 4.6A				90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	72 x 145 x 42 (mm) 72 x 145 x 42 (mm)
80W Class I • Adapter • Energy Saving • Green Power • for Home Healthcare • ITE & 3.1 Ed. Medical Safety							
SNP-AF87 -H SNP-AF89 -H	12V / 6A / 8.4A 24V / 3.2A / 4.6A				90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	72 x 145 x 42 (mm) 72 x 145 x 42 (mm)
80W Metal Box • Cost Effective • ITE Safety							
SNP-C087 SNP-C084	12V / 7A / 10.5A 5V / 6A / 10A	15V / 2A / 4A	-15V / 0.5A	-5V / 0.5A	85 ~ 264VAC 85 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B	3.74" x 5.08" x 1.42" 3.74" x 5.08" x 1.42"
80W Class I/II • Open Frame • Cost Effective • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-HF87 SNP-HF88 SNP-HF89 SNP-HF8T	12V / 6.66A / 9A 15V / 5.33A / 8A 24V / 3.33A / 5.3A 48V / 1.67A / 2.71A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
80W Class I/II · Open Frame · without Burst Sound · Cost Effective · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-HF87-A SNP-HF88-A SNP-HF89-A SNP-HF8T-A	12V / 6.66A / 9A 15V / 5.33A / 8A 24V / 3.33A / 5.3A 48V / 1.67A / 2.71A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18"
80W Class I/II · Open Frame · for Home Healthcare · Cost Effective · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-HF87-H SNP-HF88-H SNP-HF89-H SNP-HF8T-H	12V / 6.66A / 9A 15V / 5.33A / 8A 24V / 3.33A / 5.3A 48V / 1.67A / 2.71A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18" 2" x 4" x 1.18"
85W Open Frame · ITE & Medical Safety							
SNP-Z081 SNP-Z083 SNP-Z08F SNP-Z087-1 SNP-Z089 SNP-Z089-1	5V / 6A / 15A 5V / 6A / 15A 5V / 6A / 15A 12V / 7A / 11A 24V / 3.6A / 5.6A 24V / 3.75A / 5.6A	12V / 4A / 10A 12V / 4A / 10A 24V / 2A / 5A 5V / 0.5A	-12V / 0.5A 12V / 0.5A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18" 2.5" x 4.5" x 1.18"
81W~90W Open Frame · for Home Healthcare · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-S091 SNP-S091-H SNP-S093 SNP-S093-H	5V / 6A / 9.6A 5V / 6A / 9.6A 5V / 6A / 9.6A 5V / 6A / 9.6A	12V / 4.5A / 7A 12V / 4.5A / 7A 12V / 5A / 8A 12V / 5A / 8A	-12V / 0.45A -12V / 0.45A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN55032 B EN55011 B, EN55032 B EN55011 B, EN55032 B EN55011 B, EN55032 B	3" x 5" x 1.62" 3" x 5" x 1.63" 3" x 5" x 1.62" 3" x 5" x 1.63"
100W Adapter · Green Power · ITE & Medical Safety							
SNP-A107 SNP-A108 SNP-A105 SNP-A109	12V / 7.5A / 9A 15V / 6A / 7.2A 18V / 5A 24V / 3.8A / 5A				90 ~264VAC 90 ~264VAC 90 ~264VAC 90 ~264VAC	CISPR22 B CISPR22 B CISPR22 B CISPR22 B	78 x 167 x 47 (mm) 78 x 167 x 47 (mm) 78 x 167 x 47 (mm) 78 x 167 x 47 (mm)
PFC + 100W Metal Box · Soft Switching · ITE & Medical Safety							
SNP-B105 SNP-B109	18V / 5.6A / 8A 24V / 4.2A / 6A				90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	3.35" x 6.3" x 1.38" 3.35" x 6.3" x 1.38"
PFC + 100W Metal Box · Soft Switching · Cost Effective · ITE Safety							
SNP-C107 SNP-C109 SNP-C100 SNP-C10F	12V / 9A / 13.5A 24V / 4.5A / 6.8A 5V / 7A / 15A 5V / 5A / 10A	12V / 4A / 7A 12V / 2A / 5A	-12V / 0.5A 24V / 1.5A / 3A	-5V / 0.5A -12V / 0.5A	85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC	EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B EN55022 B, EN55011 B	3.74" x 6.26" x 1.42" 3.74" x 6.26" x 1.42" 3.74" x 6.26" x 1.42" 3.74" x 6.26" x 1.42"
100W Class I/II · Open Frame · Energy Saving · Cost Effective · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-HFA7 SNP-HFA8 SNP-HFA9 SNP-HFAT	12V / 7.5A / 11.7A 15V / 6A / 9.4A 24V / 4.17A / 6.25A 48V / 2.1A / 2.92A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.32" 2" x 4" x 1.34" 2" x 4" x 1.18" 2" x 4" x 1.20"
100W Class I/II · Open Frame · without Burst Sound · Energy Saving · Cost Effective · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-HFA7-A SNP-HFA8-A SNP-HFA9-A SNP-HFAT-A	12V / 7.5A / 11.7A 15V / 6A / 9.4A 24V / 4.17A / 6.25A 48V / 2.1A / 2.92A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.32" 2" x 4" x 1.34" 2" x 4" x 1.18" 2" x 4" x 1.20"
100W Class I/II · Open Frame · for Home Healthcare · Energy Saving · Cost Effective · 5,000m Altitude · ITE & 3.1 Ed. Medical Safety							
SNP-HFA8-H SNP-HFA9-H SNP-HFAT-H	15V / 6A / 9.4A 24V / 4.17A / 6.25A 48V / 2.1A / 2.92A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3 EN55011 B, EN61000-3-3	2" x 4" x 1.34" 2" x 4" x 1.18" 2" x 4" x 1.20"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)			
	I	II	III	IV						
PFC + 100W Open Frame • Soft Switching • ITE Safety										
SNP-Z106	5V / 20A	12V/ 3A	-12V/ 0.5A		90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"			
SNP-Z107	12V/ 9A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"			
SNP-Z108	15V/ 7A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"			
SNP-Z109	24V/ 4.5A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"			
SNP-Z10T	48V/ 2.3A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"			
SNP-Z101	5V / 11.5A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.26"			
SNP-Z103	5V / 7A				90 ~ 264VAC	EN55022 B	3" x 5" x 1.26"			
SNP-Z10D	3.3V/ 10A				5V / 8A	12V / 0.5A	90 ~ 264VAC	EN55022 B	3" x 5" x 1.26"	
SNP-Z10B	3.3V/ 25A			90 ~ 264VAC	EN55022 B	3" x 5" x 1.18"				
PFC + 100W Open Frame • Soft Switching • 2 nd & 3 rd Ed. Medical Safety										
SNP-Z106 -M	5V / 20A	12V/ 3A	-12V/ 0.8A		90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z107 -M	12V/ 9A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z108 -M	15V/ 7A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z109 -M	24V/ 4.5A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z10T -M	48V/ 2.1A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z10H -M	28V/ 3.8A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.18"			
SNP-Z101 -M	5V / 10A				90 ~ 264VAC	EN55011 B	3" x 5" x 1.26"			
SNP-Z104 -M	5V / 10A				15V/ 2.5A	-15V/ 0.8A	90 ~ 264VAC	EN55011 B	3" x 5" x 1.26"	
SNP-Z10K -M	5V / 2.5A	24V/ 2.8A	12V / 0.7A	90 ~ 264VAC	EN55011 B	3" x 5" x 1.26"				
110W Open Frame • Cost Effective • ITE & 2 nd Ed. Medical Safety										
SNP-Y111	5V / 7A / 20A	12V/ 5A / 11A	-12V/ 0.5A	-12V/ 0.2A	90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y11E	3.3V/ 10A	5V / 8A	12V / 2A		90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y116	5V / 19A	5V / 1A / 1A			90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y117-1	12V/ 9A / 13A				90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y118-1	15V/ 7A / 10.5A				90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y119	24V/ 4.5A / 6.5A				90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y119-1	24V/ 4.5A / 6.5A				90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y11T	48V/ 2.3A / 3.5A				90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"			
SNP-Y110	5V / 6A / 20A				12V/ 5A / 11A	-12V/ 0.5A	-5V / 0.5A	90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"
SNP-Y11F	5V / 6A / 15A				24V/ 2A / 5.5A	12V / 2A	-12V/ 0.3A	90 ~ 264VAC	EN55022 B, EN55011 B	3.5" x 6" x 1.42"
PFC + 120W Class I • Adapter • ITE Safety										
SNP-A127	12V/ 9A / 15A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
SNP-A129	24V/ 5A / 7A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
SNP-A12T	48V/ 2.5A / 4A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
PFC + 120W Class I • Adapter • Medical Safety										
SNP-A127-M	12V/ 9A / 15A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
SNP-A125-M	18V/ 6.5A / 9A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
SNP-A129-M	24V/ 5A / 7A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
SNP-A12T-M	48V/ 2.5A / 4A				90 ~ 264VAC	CISPR22 B	95 x 180 x 50 (mm)			
PFC + 120W Din-Rail • Soft Switching • ITE Safety										
SNP-D129	24V/ 5A / 6A				90 ~ 264VAC	EN55022 B, EN61000-3-2 D	2.56" x 4.92" x 4.06"			
PFC + 120W Open Frame • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety										
SNP-G127	12V/ 10A / 16.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G128	15V/ 8A / 13.4A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G129	24V/ 5A / 8.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G12G	28V/ 4.3A / 7.2A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G12J	36V/ 3.4A / 5.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G12T	48V/ 2.5A / 4.1A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
PFC + 120W Open Frame • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • ITE										
SNP-G127 -A	12V/ 10A / 16.7A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G129 -A	24V/ 5A / 8.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			
SNP-G12T -A	48V/ 2.5A / 4.1A				90 ~ 264VAC	EN55022 B, EN61000-3-3	2" x 4.2" x 1.4"			

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
PFC + 120W Open Frame • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety							
SNP-G127-M SNP-G129-M SNP-G12G-M SNP-G12J-M SNP-G12T-M	12V / 10A / 16.7A 24V / 5A / 8.3A 28V / 4.3A / 7.2A 36V / 3.4A / 5.6A 48V / 2.5A / 4.2A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4"
PFC + 120W Open Frame • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety							
SNP-G125-MA SNP-G129-MA SNP-G12G-MA SNP-G12J-MA	18V / 6.6A / 11.1A 24V / 5A / 8.3A 28V / 4.3 / 7.2A 36V / 3.4A / 5.6A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4"
PFC + 120W Open Frame • for Home Healthcare • Soft Switching • High Efficiency • High Density • Green Power • ITE							
SNP-G127-H SNP-G129-H SNP-G12T-H	12V / 10A / 16.7A 24V / 5A / 8.3A 48V / 2.5A / 4.2A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	2" x 4.2" x 1.4" 2" x 4.2" x 1.4" 2" x 4.2" x 1.4"
PFC + 120W Open Frame • Green Power • ITE & 3 rd Ed. Medical Safety							
SNP-X127 SNP-X125 SNP-X129	12V / 10A / 13A 18V / 6.7A / 8A 24V / 5A / 6.5A				90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B EN55022 B	3" x 5" x 1.319" 3" x 5" x 1.319" 3" x 5" x 1.319"
PFC + 120W Open Frame • High Efficiency • ITE & 3.1 Ed. Medical Safety						EMS	
SNP-V127 SNP-V129	12V / 10A / 20A 24V / 5A / 10A				90 ~ 264VAC 90 ~ 264VAC	EN61000-4-2,3,4,5,6,8,11 EN61000-4-2,3,4,5,6,8,11	2.39" x 4" x 1.38" 2.39" x 4" x 1.38"
150W Adapter • Green Power • Medical Safety							
SNP-A157-M SNP-A159-M	12V / 11.25A/ 14A 24V / 6A / 7.2A				90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	99 x 180 x 52 (mm) 99 x 180 x 52 (mm)
PFC + 150W Metal Box • Soft Switching • ITE & Medical Safety							
SNP-B158 SNP-B159	15V / 10A / 13A 24V / 6.5A / 8A				90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	3.94" x 7.48" x 1.61" 3.94" x 7.48" x 1.61"
PFC + 150W Metal Box • Soft Switching • Cost Effective • ITE Safety							
SNP-C157 SNP-C159 SNP-C15T SNP-C15A SNP-C154 SNP-C15F	12V / 12.5A / 19A 24V / 6.5A / 10A 48V / 3.2A / 5A 5V / 8A / 12A 5V / 11A / 20A 5V / 6A / 10A	24V / 4A / 6A 15V / 4A / 8A 12V / 3A / 6A	-15V / 0.5A 24V / 2.5A / 5A	-5V / 1A -12V / 0.5A	85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC 85 ~ 264VAC	EN55022 B, EN55011B EN55022 B, EN55011B EN55022 B, EN55011B EN55022 B, EN55011B EN55022 B, EN55011B EN55022 B, EN55011B	3.74" x 7.83" x 1.5" 3.74" x 7.83" x 1.5" 3.74" x 7.83" x 1.5" 3.74" x 7.83" x 1.5" 3.74" x 7.83" x 1.5" 3.74" x 7.83" x 1.5"
150W Open Frame • 5,000m Altitude • ITE & 3 rd Ed. Medical Safety							
SNP-M159-1 SNP-M159-2 SNP-M159-3 SNP-M159-4 SNP-M159-5	24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A	5V / 4.5A / 5A 5V / 4.5A / 5A 12V / 4A / 4.5A 5V / 4.5A / 5A 12V / 4A / 4.5A	12V / 4A / 4.5A 36V / 1.3A / 1.7A 36V / 1.3A / 1.7A 48V / 1A / 1.3A 48V / 1A / 1.3A	-12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A	90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B	80 x 150 x 38 (mm) 80 x 150 x 38 (mm) 80 x 150 x 38 (mm) 80 x 150 x 38 (mm) 80 x 150 x 38 (mm)
150W U-Shaped Case • 5,000m Altitude • ITE & 3 rd Ed. Medical Safety							
SNP-M159-1U SNP-M159-2U SNP-M159-3U SNP-M159-4U SNP-M159-5U	24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A 24V / 5A / 9A	5V / 4.5A / 5A 5V / 4.5A / 5A 12V / 4A / 4.5A 5V / 4.5A / 5A 12V / 4A / 4.5A	12V / 4A / 4.5A 36V / 1.3A / 1.7A 36V / 1.3A / 1.7A 48V / 1A / 1.3A 48V / 1A / 1.3A	-12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A -12V / 1.25A / 1.66A	90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B EN55032 B, EN55011B	90 x 152 x 44 (mm) 90 x 152 x 44 (mm) 90 x 152 x 44 (mm) 90 x 152 x 44 (mm) 90 x 152 x 44 (mm)

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
150W Metal Box • 5,000m Altitude • ITE & 3 rd Ed. Medical Safety							
SNP-M159-1C	24V / 5A / 9A	5V / 4.5A / 5A	12V / 4A / 4.5A	-12V/ 1.25A / 1.66A	90 ~ 264VAC	EN55032 B, EN55011B	90 x 152 x 44.5 (mm)
SNP-M159-2C	24V / 5A / 9A	5V / 4.5A / 5A	36V / 1.3A / 1.7A	-12V/ 1.25A / 1.66A	90 ~ 264VAC	EN55032 B, EN55011B	90 x 152 x 44.5 (mm)
SNP-M159-3C	24V / 5A / 9A	12V / 4A / 4.5A	36V / 1.3A / 1.7A	-12V/ 1.25A / 1.66A	90 ~ 264VAC	EN55032 B, EN55011B	90 x 152 x 44.5 (mm)
SNP-M159-4C	24V / 5A / 9A	5V / 4.5A / 5A	48V / 1A / 1.3A	-12V / 1.25A / 1.66A	90 ~ 264VAC	EN55032 B, EN55011B	90 x 152 x 44.5 (mm)
SNP-M159-5C	24V / 5A / 9A	12V / 4A / 4.5A	48V / 1A / 1.3A	-12V/ 1.25A / 1.66A	90 ~ 264VAC	EN55032 B, EN55011B	90 x 152 x 44.5 (mm)
PFC + 150W Open Frame • 5,000m Altitude • ITE & 3.1 Ed. Medical Safety							
SNP-V155	18V / 8.33A / 16.66A				90 ~ 264VAC	EN55032 B, EN55011 B	3" x 5" x 1.378"
SNP-V157	12V / 12.5A / 25A				90 ~ 264VAC	EN55032 B, EN55011 B	3" x 5" x 1.378"
SNP-V159	24V / 6.25A / 12.5A				90 ~ 264VAC	EN55032 B, EN55011 B	3" x 5" x 1.378"
PFC + 150W U-Shaped Case • Soft Switching • ITE & Medical Safety							
SNP-Z151	5V / 10A	12V / 7A / 15A	-12V/ 0.5A	-12V/ 0.5A 90 ~ 264VACEN55022 B, EN55011 B	90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z15E	3.3V/ 10A	5V / 8A	12V / 3.5A		90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z153	5V / 10A	12V / 7A / 15A			90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z156	5V / 28A				90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z157	12V / 12A / 17.5A	5V / 2A			90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z157-1	12V / 13A / 17.5A				90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z158-1	15V / 10A / 14A				90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z159	24V / 6A / 8.8A	5V / 2A			90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z159-1	24V / 6.5A / 8.8A				90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z15T	48V / 3.2A / 4.6A				90 ~ 264VAC	EN55022 B, EN55011 B	3.8" x 6.8" x 1.5"
SNP-Z15F	5V / 8A	24V / 3A / 7A	12V / 2A		-12V/ 0.5A 90 ~ 264VACEN55022 B, EN55011 B		3.8" x 6.8" x 1.5"
154W Open Frame • Ultra Slim Type • ITE & 3 rd Ed. Medical Safety							
SNP-P157 -S	12V / 12A / 18A	5Vsb/ 2A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.07"
SNP-P159 -S	24V / 6A / 9A	5Vsb / 2A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.07"
PFC + 160W Open Frame • Soft Switching • High Efficiency • Green Power • ITE Safety							
SNP-G167	12V / 13.3A / 26.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G169	24V / 6.66A / 13.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G16T	48V / 3.35A / 6.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 160W Open Frame • without Burst Sound • Soft Switching • High Efficiency • Green Power • ITE Safety							
SNP-G169 -A	24V / 6.66A / 13.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 160W Metal Box • Soft Switching • High Efficiency • Green Power • ITE Safety							
SNP-G167 -C	12V / 13.3A / 26.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G168 -C	15V / 10.66A / 21.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G169 -C	24V / 6.66A / 13.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16G-C	28V / 5.7A / 11.4A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 160W Metal Box • without Burst Sound • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety							
SNP-G167 -C5	12V / 13.3A / 26.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G168 -C5	15V / 10.66A / 21.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G169 -C5	24V / 6.66A / 13.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16G-C5	28V / 5.7A / 11.4A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16J -C5	36V / 4.45A / 8.9A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16T-C5	48V / 3.35A / 6.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 160W Metal Box • without Burst Sound • Soft Switching • High Efficiency • Green Power • ITE Safety							
SNP-G167 -CA	12V / 13.3A / 26.6A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G168 -CA	15V / 10.66A / 21.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G165 -CA	18V / 8.88A / 17.8A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G169 -CA	24V / 6.66A / 13.3A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16G-CA	28V / 5.7A / 11.4A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16J -CA	36V / 4.45A / 8.9A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G16T-CA	48V / 3.35A / 6.67A				90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)		INPUT	EMI	SIZE(WxLxH)
	I	II			
PFC + 160W Metal Box • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety					
SNP-G167-CM SNP-G169-CM SNP-G16T-CM	12V / 13.3A / 26.6A 24V / 6.66A / 13.3A 48V / 3.35A / 6.67A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7"
PFC + 160W Open Frame • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety					
SNP-G167-M SNP-G169-M	12V / 13.3A / 26.6A 24V / 6.66A / 13.3A		90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3" x 5" x 1.56" 3" x 5" x 1.56"
PFC + 160W Open Frame • without Burst Sound • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety					
SNP-G167-MA SNP-G165-MA SNP-G169-MA SNP-G16G-MA SNP-G16T-MA	12V / 13.3A / 26.6A 18V / 8.88A / 17.8A 24V / 6.66A / 13.3A 28V / 5.7A / 11.4A 48V / 3.35A / 6.67A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3" x 5" x 1.56" 3" x 5" x 1.56" 3" x 5" x 1.56" 3" x 5" x 1.56" 3" x 5" x 1.56"
PFC + 160W U-Shaped Case • Soft Switching • High Efficiency • Green Power • ITE Safety					
SNP-G167-U	12V / 13.3A / 26.6A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 160W U-Shaped Case • without Burst Sound • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety					
SNP-G167-U5 SNP-G168-U5 SNP-G165-U5 SNP-G169-U5 SNP-G16G-U5 SNP-G16J-U5 SNP-G16T-U5	12V / 13.3A / 26.6A 15V / 10.66A / 21.3A 18V / 8.88A / 17.8A 24V / 6.66A / 13.3A 28V / 5.7A / 11.4A 36V / 4.45A / 8.9A 48V / 3.35A / 6.67A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7"
PFC + 160W U-Shaped Case • without Burst Sound • Soft Switching • High Efficiency • Green Power • ITE Safety					
SNP-G167-UA SNP-G168-UA SNP-G165-UA SNP-G169-UA SNP-G16G-UA SNP-G16J-UA SNP-G16T-UA	12V / 13.3A / 26.6A 15V / 10.66A / 21.3A 18V / 8.88A / 17.8A 24V / 6.66A / 13.3A 28V / 5.7A / 11.4A 36V / 4.45A / 8.9A 48V / 3.35A / 6.67A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7" 3.3" x 5" x 1.7"
PFC + 160W U-Shaped Case • Soft Switching • High Efficiency • Green Power • 3.1 Ed. Medical Safety					
SNP-G167-UM SNP-G169-UM	12V / 13.3A / 26.6A 24V / 6.66A / 13.3A		90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 1.7" 3.3" x 5" x 1.7"
200W Adapter • Green Power • ITE Safety					
SNP-A207 SNP-A20T	12V / 15A / 33.4A 48V / 4.2A / 6.9A		90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	103 x 210 x 52 (mm) 103 x 210 x 52 (mm)
200W Adapter • Green Power • 3 rd Ed. Medical Safety					
SNP-A207-M SNP-A209-M	12V / 15A / 33.4A 24V / 8.4A / 14A		90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	103 x 210 x 52 (mm) 103 x 210 x 52 (mm)
200W Adapter • High Efficiency • 3 rd Ed. Medical Safety					
SNP-A207-S SNP-A209-S	12V / 15A / 28A 24V / 8A / 14A	5Vsb / 0.5A / 1A 5Vsb / 0.5A / 1A	90 ~ 264VAC 90 ~ 264VAC	CISPR22 B CISPR22 B	103 x 210 x 52 (mm) 103 x 210 x 52 (mm)
PFC + 200W Metal Box • Soft Switching • ITE & Medical Safety					
SNP-B208 SNP-B209	15V / 13.3A / 20A 24V / 8.3A / 10A		90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	3.94" x 8.27" x 1.65" 3.94" x 8.27" x 1.65"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT RAIL	LOAD		INPUT	EMI	SIZE(WxLxH)
		RATED	PEAK			
PFC + 200W Open Frame • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety						
SNP-G207	12V / 16.5A	33A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G209	24V / 8.4A	16.7A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20G	28V / 7.2A	13A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20J	36V / 5.6A	11A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20T	48V / 4.2A	8.4A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 200W Open Frame • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety						
SNP-G209 -A	24V / 8.4A	16.7A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20T -A	48V / 4.2A	8.4A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 200W Metal Box • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety						
SNP-G207 -C	12V	15A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -C	15V	12A	22.5A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -C	24V	7.5A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20G -C	28V	6.42A	13A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20J -C	36V	5A	11A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -C	48V	3.75A	8.4A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W Metal Box • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety						
SNP-G207 -C5	12V	15A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -C5	15V	12A	22.5A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G205 -C5	18V	10A	22.3A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -C5	24V	7.5A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20G -C5	28V	6.42A	13A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20J -C5	36V	5A	11A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -C5	48V	3.75A	8.4A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W Metal Box • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety						
SNP-G207 -CA	12V	15A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -CA	15V	12A	22.5A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G205 -CA	18V	10A	22.3A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -CA	24V	7.5A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W Metal Box • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety						
SNP-G207 -CM	12V	15A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -CM	15V	12A	22.5A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G205 -CM	18V	10A	22.3A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -CM	24V	7.5A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20G -CM	28V	6.42A	13A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20J -CM	36V	5A	11A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -CM	48V	3.75A	8.4A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W Open Frame • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety						
SNP-G207 -M	12V	16.5A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G205 -M	18V	11.1A	23.3A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G209 -M	24V	8.4A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20T -M	48V	4.2A	8.4A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 200W Open Frame • without Burst Sound • Soft Switching • High Efficiency • High Density • Green Power • 3.1 Ed. Medical Safety						
SNP-G205 -MA	18V	11.1A	23.3A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G209 -MA	24V	8.4A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20J -MA	36V	5.6A	11A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
SNP-G20T -MA	48V	4.2A	8.4A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 5" x 1.56"
PFC + 200W U-Shaped Case • Soft Switching • High Efficiency • High Density • Green Power • ITE Safety						
SNP-G207 -U	12V	16.5A	33A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -U	24V	8.4A	16.7A	90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -U	48V	4.2A	8.4A	90 ~ 264VAC	EN55022B, EN61000-3-3	3.3" x 5" x 1.7"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)			INPUT	EMI	SIZE(WxLxH)
	I	II	III			
PFC + 200W U-Shaped Case · without Burst Sound · Soft Switching · High Efficiency · High Density · Green Power · ITE / 3.1 Ed. Medical (5) Safety						
SNP-G207 -U5	12V / 16.5A / 33A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -U5	15V / 12A / 22.5A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G205 -U5	18V / 11.1A / 22.3A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -U5	24V / 8.4A / 16.7A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20G -U5	28V / 7.2A / 13A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20J -U5	36V / 5.6A / 11A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -U5	48V / 4.2A / 8.4A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W U-Shaped Case · without Burst Sound · Soft Switching · High Efficiency · High Density · Green Power · ITE / 3.1 Ed. Medical (5) Safety						
SNP-G207 -UA	12V / 16.5A / 33A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G208 -UA	15V / 12A / 22.5A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G205 -UA	18V / 11.1A / 22.3A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G209 -UA	24V / 8.4A / 16.7A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20G -UA	28V / 7.2A / 13A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20J -UA	36V / 5.6A / 11A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
SNP-G20T -UA	48V / 4.2A / 8.4A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W U-Shaped Case · Soft Switching · High Efficiency · High Density · Green Power · 3.1 Ed. Medical Safety						
SNP-G207 -UM	12V / 16.5A / 33A			90 ~ 264VAC	EN55022 B, EN61000-3-3	3.3" x 5" x 1.7"
PFC + 200W Open Frame · Safety Class II & EMI B · Ultra Slim Type · ITE & 3.1 Ed. Medical Safety						
SNP-P207 -S	12V / 16.66A / 33.3A	5Vsb / 1A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 6" x 1.4"
SNP-P209 -S	24V / 8.33A / 16.66A	5Vsb / 1A		90 ~ 264VAC	EN55022 B, EN61000-3-3	3" x 6" x 1.4"
PFC + 200W Open Frame · Safety Class II & EMI B · Ultra Slim Type · ITE & 3.1 Ed. Medical Safety						
SNP-V207	12V / 16.6A / 30A			90 ~ 264VAC	EN55022 B	3" x 5" x 1.5"
SNP-V209	24V / 8.3A / 15A			90 ~ 264VAC	EN55022 B	3" x 5" x 1.5"
PFC + 200W Metal Box · Safety Class II & EMI B · Ultra Slim Type · ITE & 3.1 Ed. Medical Safety EMS						
SNP-V207-C	12V / 16.6A / 30A			90 ~ 264VAC	EN61000-4-2,-3,-4,-5,-6,-8,-11	3" x 5" x 1.7"
PFC + 200W Open Frame · Cost Effective · ITE Safety						
SNP-X20T	48V / 4.16A / 7.9A			90 ~ 264VAC	CISPR 22 B, EN61000-3-2 D	4" x 7.5" x 1.4"
SNP-X20H	60V / 3.3A / 9.15A			90 ~ 264VAC	CISPR 22 B, EN61000-3-2 D	4" x 7.5" x 1.4"
PFC + 200W Open Frame · Cost Effective · 3 rd Ed. Medical Safety						
SNP-X20J -M	38V / 5.25A / 10A			90 ~ 264VAC	CISPR 22 B, EN61000-3-2 D	4" x 7.5" x 1.4"
SNP-X20H-M	60V / 3.3A / 9.15A			90 ~ 264VAC	CISPR 22 B, EN61000-3-2 D	4" x 7.5" x 1.4"
PFC + 200W U-Shaped Case · Soft Switching · ITE Safety						
SNP-Z201	5V / 20A	12VA / 6A	12VB / 2A	90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
SNP-Z207	12V / 17A			90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
SNP-Z208	15V / 13.5A			90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
SNP-Z209	24V / 8.5A			90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
SNP-Z20T	48V / 4.3A			90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
PFC + 200W U-Shaped Case · Soft Switching · Medical Safety						
SNP-Z209-M	24V / 8.5A			90 ~ 264VAC	EN55022 B	4.2" x 8" x 1.5"
PFC + 240W Din-Rail · Soft Switching · ITE Safety						
SNP-D249	24V / 10A / 12A			90 ~ 264VAC	EN55022 B, EN61000-3-2 D	4.8" x 4.92" x 4.06"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)			INPUT	EMI	SIZE(WxLxH)
	I	II	III			
PFC + 300W Metal Box • Soft Switching • ITE & Medical Safety						
SNP-B305 SNP-B309	18V / 16.7A / 26.7A 24V / 11.66A / 15A			90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	3.94" x 9.06" x 1.65" 3.94" x 9.06" x 1.65"
PFC + 300W Metal Case • Soft Switching • Built-in Fan • ITE Safety						
SNP-E307 SNP-E30J SNP-E30T	12V / 25A 36V / 8.3A 48V / 6.3A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 2.13" 3.3" x 5" x 2.13" 3.3" x 5" x 2.13"
PFC + 300W Metal Case • Soft Switching • Built-in Fan • 3.1 Ed. Medical Safety						
SNP-E308 -M SNP-E309 -M SNP-E30G-M SNP-E30J -M SNP-E30T -M	15V / 20A 24V / 12.5A 28V / 10.7A 36V / 8.3A 48V / 6.3A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.3" x 5" x 2.13" 3.3" x 5" x 2.13" 3.3" x 5" x 2.13" 3.3" x 5" x 2.13" 3.3" x 5" x 2.13"
PFC + 300W U-Shaped Case • Soft Switching • High Efficiency • Green Power • ITE Safety						
SNP-G307 SNP-G308 SNP-G309	12V / 25A / 45A 15V / 20A / 40A 24V / 12.5A / 22.5A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65"
PFC + 300W U-Shaped Case • without Burst Sound • Soft Switching • High Efficiency • Green Power • ITE Safety						
SNP-G307 -A SNP-G308 -A SNP-G305 -A SNP-G309 -A SNP-G30T-A SNP-G30H-A	12V / 25A / 45A 15V / 20A / 40A 18V / 17A / 34A 24V / 12.5A / 22.5A 48V / 6.3A / 12.6A 60V / 5A / 10A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65"
PFC + 300W U-Shaped Case • Soft Switching • High Efficiency • Green Power • 3 rd Ed. Medical Safety						
SNP-G307 -M SNP-G309 -M SNP-G30H-M	12V / 25A / 45A 24V / 12.5A / 22.5A 60V / 5A / 10A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65"
PFC + 300W U-Shaped Case • without Burst Sound • Soft Switching • High Efficiency • Green Power • 3 rd Ed. Medical Safety						
SNP-G307 -MA SNP-G308 -MA SNP-G305 -MA SNP-G309 -MA SNP-G30T-MA SNP-G30H-MA	12V / 25A / 45A 15V / 20A / 40A 18V / 17A / 34A 24V / 12.5A / 22.5A 48V / 6.3A / 12.6A 60V / 5A / 10A			90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65" 4.2" x 8" x 1.65"
PFC + 300W U-Shaped Case • Ultra Slim Type • High Mechanical Torque • ITE & 3.1 Ed. Medical Safety						
SNP-P307-S SNP-P309-S SNP-P30H-S	12V / 25A / 50A 24V / 12.5A / 25A 60V / 5A / 10A	5Vsb / 1A 5Vsb / 1A 5Vsb / 1A		90 ~ 264VAC 90 ~ 264VAC 90 ~ 264VAC	EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3 EN55022 B, EN61000-3-3	3.7" x 6.6" x 1.46" 3.7" x 6.6" x 1.46" 3.7" x 6.6" x 1.46"
PFC + 300W Open Frame • High Efficiency • ITE & 3.1 Ed. Medical Safety						
SNP-V307 SNP-V309	12V / 25A / 40A 24V / 12.5A / 20A			90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	4" x 6" x 1.5" 4" x 6" x 1.5"
PFC + 300W Metal Box • High Efficiency • ITE & 3.1 Ed. Medical Safety						
SNP-V307-C SNP-V309-C	12V / 25A / 40A 24V / 12.5A / 20A			90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	4" x 6" x 1.72" 4" x 6" x 1.72"
PFC + 300W U-Shaped Case • High Efficiency • ITE & 3.1 Ed. Medical Safety						
SNP-V307-U SNP-V309-U	12V / 25A / 40A 24V / 12.5A / 20A			90 ~ 264VAC 90 ~ 264VAC	EN55022 B EN55022 B	4" x 6" x 1.7" 4" x 6" x 1.7"

Get 4-page product datasheet through direct link on website

Available Standard Products List

MODEL	OUTPUT(Voltage/Rated Load/Peak Load)				INPUT	EMI	SIZE(WxLxH)
	I	II	III	IV			
PFC + 300W U-Shaped Case • Soft Switching • ITE Safety							
SNP-Z301	5V / 32A	12V / 10A	-12V / 1A		90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z305	18V / 16A	12V / 1A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z307	12V / 25A	5V / 2A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z308	15V / 20A	12V / 0.5A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z308-1	15V / 20A	5V / 2A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z309	24V / 12A	5V / 2A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z30C	9.5V / 25A				90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
SNP-Z30T	48V / 6.25A	5V / 2A			90 ~ 264VAC	EN55022 B	5" x 9" x 1.6"
PFC + 400W ATX Power Supply • Soft Switching • ITE Safety							
SNP-AX40	5V / 30A 3.3V/ 25A	12V / 12A 5Vsb / 2A	-12V / 1A	-5V / 0.5A	90 ~ 264VAC	EN55022 B	5.51" x 5.91" x 3.39"
PFC + 400W U-Shaped Case • Ultra Slim Type • ITE & 3.1 Ed. Meical Safety							
SNP-P407-S	12V / 33.3A / 66.6A	5Vsb / 1.5A			90 ~ 264VAC	EN55022 B, EN61000-3-3	4" x 7" x 1.5"
SNP-P409-S	24V / 16.7A / 33.3A	5Vsb / 1.5A			90 ~ 264VAC	EN55022 B, EN61000-3-3	4" x 7" x 1.5"
PFC + 480W Din-Rail • Soft Switching • ITE Safety							
SNP-D489	24V / 20A / 25A				90 ~ 264VAC	EN55022 B, EN61000-3-2 D	4.92" x 9.33" x 4.06"
PFC + 500W U-Shaped Case • BF Application • ITE & 3.1 Ed. Meical Safety							
SNP-F507	12V / 41.6A / 83.2A				90 ~ 264VAC	EN55011 B, EN55022 B	4.5" x 7.5" x 1.7"
SNP-F509	24V / 20.8A / 41.6A				90 ~ 264VAC	EN55011 B, EN55022 B	4.5" x 7.5" x 1.7"
SNP-F50T	48V / 10.4A / 20.8A				90 ~ 264VAC	EN55011 B, EN55022 B	4.5" x 7.5" x 1.7"
PFC + 800W Metal Box • Soft Switching • Built-in Fan • ITE Safety							
SNP-F807	12V / 66.7A / 83.5A				90 ~ 264VAC	EN55022 B	5.91" x 10.83" x 2.95"

Get 4-page product datasheet through direct link on website